



GORE® Sealant Technologies

Product Selection Guide




Product Selection Guide

For nearly 40 years, Gore's Sealant Technologies Group has developed innovative, top-performing ePTFE gasketing products that are proven to meet both standard and unique sealing challenges.



This product selection guide has been created to help you choose the most appropriate GORE® gasket for your requirements, including product solutions for flanges that are fragile, warped or misaligned.



STEP 1: Verify that the Application meets GORE® Gasketing Qualifications



STEP 2: Narrow the selection of GORE® Gasketing Products for the Application



► For other flange materials, please contact your Gore representative.

Product Selection Guide

STEP 3: Select the GORE® Gasketing Product

GORE® GR SHEET GASKETING



- For steel flanges and equipment.
- Sheet form allows rapid customization onsite, or by your local gasket distributor.
- Standard gaskets and complex geometries are possible up to 1,524 mm (60") outside diameter.

GORE® UNIVERSAL PIPE GASKETS



- Standardize on one gasket choice across steel, plastic, and glass-lined steel flanges.
- Prefabricated ring or full-face formats in all global standards (ANSI, DIN, JIS).

GORE® JOINT SEALANT



- For large or complex steel flanges.
- Form in place to create a gasket on the flange quickly and easily.
- Achieve significant savings in material, labor, and lead times over the use of traditional large one-piece fabricated gaskets.
- FOR INDUSTRIAL USE ONLY. Not for use in food, drug, cosmetic or medical device manufacturing, processing, or packaging operations.

GORE® SERIES 300 GASKET TAPE



- For large or complex steel flanges.
- Superior conformability to seal flange deviations caused by equipment age or high-temperature service.
- Form-in-place eases installation in situations where equipment disassembly is required for traditional one-piece gaskets, such as shell-and-tube heat exchangers.

GORE® SERIES 600 GASKET TAPE



- For glass-lined steel vessels which have macro-deviation.
- 100% ePTFE construction offers more robust protection than traditional envelope gaskets (CRT gaskets).
- Simple-yet-precise installation method allows a truly customizable gasket that perfectly matches the unique nature of glass-lined steel flanges.

All technical information and advice given here is based on our previous experiences and/or test results. We give this information to the best of our knowledge, but assume no legal responsibility. Customers are asked to check the suitability and usability in the specific application, since the performance of the product can only be judged when all necessary operating data are available. Specifications are subject to change without notice. Gore's terms and conditions of sale apply to the purchase and sale of the product.

For a complete listing of local sales offices please visit gore.com/sealants.

North America/South America
W.L. Gore & Associates Inc. (USA)
Tel.: +1 800 654-4229
Fax: +1 410 506-8585
Email: sealants@wlgore.com

Europe/Middle East/Russia/Africa
W.L. Gore & Associates GmbH (Germany)
Tel.: +49 89 4612-2215
Fax: +49 89 4612-43780
Email: sealants_EU@wlgore.com

Asia/Australia
W.L. Gore & Associates (China)
Tel.: +86 21 6247-1999
Fax: +86 21 6247-9199
Email: sealants_AP@wlgore.com

